

TECHNICAL DATA SHEET

Graduated pipettes

codes 200002 - 200006 - 200062.0 - 200007 - 200037 - 200003 - 200032.0 - 200004 - 200034

	code	presentation	sterile	length (mm)	Ø stem (mm)	max. graduation (ml)	total capacity (ml)	bulb capacity (ml)	stem capacity (ml)	graduations (ml)
A	200002	10 x 500	no	152	7.1	2	4.8	1.8	3	0.50
B	200006	10 x 500	no	155	7.8	3	7.5	3.2	4.3	0.50
B	200062.0	10 x 500 20 u. bags	STERILE EO	160	7.8	3	7.0	3.2	3.8	0.50
B	200007	10 x 100 peel-pack	STERILE EO	154	7.8	3	7.0	3.2	3.8	0.50
B	200037	10 x 100 flow-pack	STERILE EO	154	7.8	3	7.0	3.2	3.8	0.50
C	200003	6 x 500	no	155	4.6	1	5.8	3.4	2.4	0.25
C	200032.0	6 x 500 20 u. bags	STERILE EO	158	5.0	1	5.0	3.1	1.9	0.25
C	200004	10 x 100 peel-pack	STERILE EO	154	5.0	1	5.0	3.1	1.9	0.25
C	200034	10 x 100 flow-pack	STERILE EO	154	5.0	1	5.0	3.1	1.9	0.25

code	case weight	case volume	cases per pallet
200002	7.86	0.099	100,000
200006	9.65	0.100	100,000
200062.0	12.16	0.130	35,000
200007	4.20	0.051	40,000
200037	3.92	0.073	40,000
200003	5.10	0.061	90,000
200032.0	6.48	0.067	48,000
200004	3.80	0.051	40,000
200034	4.50	0.071	40,000


WRITTEN	VERIFIED	AUTHORISED
Soti Khiev Marketing Department	Anna Mir Technical, Development, Quality and Environment Director	Mónica Torras Sales & Marketing Director

TECHNICAL DATA SHEET

Page 199 General Catalogue 2020

Graduated pipettes

codes 200002 - 200006 - 200062.0 - 200007 - 200037 - 200003 - 200032.0 - 200004 - 200034



USE

Product made in transparent, inert and low density polyethylene.

Volumetric and dimensions tolerance: $\pm 10\%$.

WRITTEN	VERIFIED	AUTHORISED
Soti Khiev Marketing Department	Anna Mir Technical, Development, Quality and Environment Director	Mónica Torras Sales & Marketing Director