

Stenqvist AS · Box 4092 · N-3005 Drammen

NORENGROS A/S
ETTERSTAD
Fyrstikkalleen 3
N - 0609 OSLO

your reference

your letter of

our reference
BeM/DiJa

date
27.10.2025

CERTIFICATE OF CONFORMITY

Dear Sir or Madam,

Hereby it is confirmed that the supplied products

PERFORERT PUSTEPOSE (PL 711)
CPP Cast, u/trykk
300x400+40 mm
Your Art.-No. 290685

are authorized according to the confirmations of our suppliers and/or an expert acknowledged by the state in accordance with the

Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food and all applicable amendments of Regulation (EU) No 10/2011 within the transitional periods.

Swiss Ordinance on Materials and Articles in Contact with Food 817.023.21

Furthermore, the products comply with the Regulation (EC) No 1935/2004, chapter 3, 11(5), 15 and 17 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food and all applicable amendments of Regulation (EC) No 1935/2004 within the transitional periods.

It is further confirmed that the supplied products are in accordance with the European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

1 von 4

Stenqvist AS

Svre Eikervei 83
3048 Drammen

www.stenqvist.com
norway@stenqvist.com

Postal address:

Box 4092
3005 Drammen

Production plant:
Stenqvist AS

Telephone: +47 32 21 36 50

Fax:

GLN-Nr.
Tax-Nr. . . :

7071828000001
NO938109753MVA

The following applicable technical standards are adhered to:

- packaging and packaging waste [DIN EN 13427]
- prevention by source reduction [DIN EN 13428]
- heavy metals [DIN EN 13428, CR 13695-1]
- dangerous substances & their release into the environment [DIN EN 13428, CEN/TR 13695-2]
- material recycling [DIN EN 13430]
- energy recovery [DIN EN 13431]

The delivered and specified products can be used safely as one-time-use packaging material for dry, moist and fatty foodstuffs.

GMP

The products are produced in compliance with the Commission Regulation (EC) No 2023/2006.

Storage

The products should be stored in a dry place and without direct sunlight.

Traceability

All palettes, rolls and packaging units are marked with labels. Additionally, the delivery notes contain the order number. All relevant data concerning the production are encoded in this order number. A detailed traceability of the raw material, production machine and personnel is provided. All production processes are reproducible. Traceability and documentation is ensured. The requirements of Regulation (EC) No 1935/2004, which entered into force in 2006, are therefore fulfilled with regard to traceability.

Migration

The overall migration limit is adhered to under the following testing conditions:

Simulanz	Test duration	Test temperature
acetic acid 3 Gew%	10 days	40 °C
ethanol 10 Vol%	10 days	40 °C
vegetable oil	10 days	40 °C

Any long-term storage at room temperature or below, including when packaged under hot-fill conditions, and/or heating up to a temperature T where $70^{\circ}\text{C} \leq T \leq 100^{\circ}\text{C}$ for a maximum of $t = 120/2^{((T-70)/10)}$ minutes.

Surface to volume ratio: 20 dm²/kg.

The following substances with restrictions and/or specifications are used in the above mentioned product according to the confirmation of our suppliers and their limit values are observed in accordance to Annex I and II of Regulation (EU) No 10/2011:

FCM No.	Ref. No.	CAS No.	Substance name	SML [mg/kg]	SML(T) [mg/kg]	Restrictions and specifications
19	39090	---	N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine	---	(7) 1,2	expressed as tertiary amine
20	39120	---	N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine hydrochlorides	---	(7) 1,2	expressed as tertiary amine SML(T) expressed excluding HCl

103	18100 / 55920	0000056-81-5	glycerol	---	---	---
106	24550 / 89040	0000057-11-4	stearic acid	---	---	---
156	21130	0000080-62-6	methacrylic acid, methyl ester	---	(23) 6	expressed as methacrylic acid
176	11710	0000096-33-3	acrylic acid, methyl ester	---	(22) 6	expressed as acrylic acid
185	20440	0000097-90-5	methacrylic acid, diester with ethyleneglycol	0,05	---	---
234	19960	0000108-31-6	maleic anhydride	---	(3) 30	expressed as maleic acid
264	22660	0000111-66-0	1-octene	15	---	---
292	94560	0000122-20-3	triisopropanolamine	5	---	---
356	18820	0000592-41-6	1-hexene	3	---	---
418	34720	0001344-28-1	aluminium oxide	---	---	---
433	68320	0002082-79-3	octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	6	---	---
496	71680	0006683-19-8	pentaerythritol tetrakis [3-(3,5-di-tert-butyl-4-hydroxyphenyl)-propionate]	---	---	---
500	38560	0007128-64-5	2,5-bis(5-tert-butyl-2-benzoxazolyl)thiophene	0,6	---	---
587	68400	0010094-45-8	octadecylceramide	5	---	---
592	34690	0011097-59-9	aluminium magnesium carbonate hydroxide	---	---	---
610	93440	0013463-67-7	titanium dioxide	---	---	---
629	34560	0021645-51-2	aluminium hydroxide	---	---	---
652	38820	0026741-53-7	bis(2,4-di-tert-butylphenyl) pentaerythritol diphosphite	0,6	---	---
661	95360	0027676-62-6	1,3,5-tris(3,5-di-tert-butyl-4-hydroxybenzyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione	5	---	---
671	74240	0031570-04-4	phosphorous acid, tris(2,4-di-tert-butylphenyl)ester	---	---	---
715	46880	0065140-91-2	3,5-di-tert-butyl-4-hydroxybenzylphosphonic acid, monoethyl ester, calcium salt	6	---	---
760	83595	0119345-01-6	reaction product of di-tert-butylphosphonite with biphenyl, obtained by condensation of 2,4-di-tert-butylphenol with Friedel Craft reaction product of phosphorous trichloride and biphenyl	18	---	---
779	39815	0182121-12-6	9,9-bis(methoxymethyl)fluorine	0,05	---	---
783	55910	0736150-63-3	glycerides, castor-oil mono-, hydrogenated, acetates	---	(32) 60	expressed as the sum of the substances (plasticisers)

Date: 27.10.2025

---	---	0000557-05-1	zinc stearate	---	---	SML zinc = 5 mg/kg food or food simulant
---	---	---	For all substances in Table 1 Annex II of Regulation (EU) 2020/1245 the specific migration values are not exceeded.	---	---	---

SML = "Specific migration limit" means the maximum permitted amount of a given substance released from a material or article into food or food simulants.

SML(T) = "total Specific migration limit" means the maximum permitted sum of particular substances leached in food or food simulants expressed as total of moiety of the substances indicated.

The following dual use additives are according to the confirmations of our suppliers and are used in the above-mentioned product:

FCM No.	Ref. No.	E-No.	CAS No.	Substance name
103	18100 / 55920	E 422	0000056-81-5	glycerol
139	14680 / 44160	E 330	0000077-92-9	citric acid
397	64720	E 530	0001309-48-4	magnesium oxide
409	62240	E 172	0001309-37-2	iron oxides and iron hydroxides
504	86240	E 551	0007631-86-9	silicon dioxide (silica)
615	92080	E 553b	0014807-96-6	talc
---	---	E 173	0007429-90-5	aluminium
---	---	E 470a	0001592-23-0	calcium stearate
---	---	E 470a	---	sodium, potassium and/or calcium salts of fatty acids
---	---	E 470b	---	magnesium salts of fatty acids
---	---	E 471	---	mono- and diglycerides of fatty acids
---	---	E 475	---	polyglycerol esters of fatty acids
---	---	E 477	---	propylene glycol esters of fatty acids
---	---	E 570	---	fatty acids / stearic acid

Thus, the issuer of the certificate of conformity fulfils the duty of care as a distributor of the above mentioned product.

A functional barrier made from plastic is not used in the above mentioned product.

Stenqvist AS

This letter has been created automatically and is valid without signature.

4 von 4

Stenqvist AS

 Svre Eikervei 83
3048 Drammen

 www.stenqvist.com
norway@stenqvist.com

 Postal address:
Box 4092
3005 Drammen

 Production plant:
Stenqvist AS

 Telephone: +47 32 21 36 50
Fax:

 GLN-Nr. 7071828000001
Tax-Nr. .: NO938109753MVA