



Declaration of Compliance

Regarding following articles:

Art.nr	SV	EN
68110	GN kantin 1/1- 65	GN pan 1/1- 65
68111	GN kantin 1/1-100	GN pan 1/1- 100
68112	GN kantin 1/1-150	GN pan 1/1- 150
68113	GN kantin 1/1-200	GN pan 1/1- 200
68114	GN lock 1/1	GN lid 1/1
68115	GN galler 1/1	GN grill 1/1
68116	GN lock 1/1, uttag för ösa	GN lid 1/1, slotted
68120	GN kantin 1/2- 65	GN pan 1/2 -65
68121	GN kantin 1/2-100	GN pan 1/2 -100
68122	GN kantin 1/2-150	GN pan 1/2 -150
68123	GN kantin 1/2-200	GN pan 1/2 -200
68124	GN lock 1/2	GN lid 1/2
68125	GN galler 1/2	GN grill 1/2
68126	GN lock 1/2, uttag för ösa	GN lid 1/2, slotted
68130	GN kantin 1/3- 65	GN pan 1/3 -65
68131	GN kantin 1/3-100	GN pan 1/3 -100
68132	GN kantin 1/3-150	GN pan 1/3 -150
68133	GN lock 1/3	GN lid 1/3
68134	GN galler 1/3	GN grill 1/3
68135	GN kantin 1/3-200	GN pan 1/3 -200
68136	GN lock 1/3, uttag för ösa	GN lid 1/3, slotted
68140	GN kantin 1/4-100	GN pan 1/4 -100
68141	GN kantin 1/4-150	GN pan 1/4 -150
68142	GN lock 1/4	GN lid 1/4
68143	GN galler 1/4	GN grill 1/4
68144	GN kantin 1/4- 65	GN pan 1/4 -65
68146	GN lock 1/4, uttag för ösa	GN lid 1/4, slotted
68160	GN kantin 1/6- 65	GN pan 1/6 -65
68161	GN kantin 1/6-100	GN pan 1/6 -100
68162	GN kantin 1/6-150	GN pan 1/6 -150
68163	GN lock 1/6	GN lid 1/6
68164	GN galler 1/6	GN grill 1/6
68166	GN lock 1/6, uttag för ösa	GN lid 1/6, slotted
68190	GN kantin 1/9- 65	GN pan 1/9 - 65
68191	GN kantin 1/9-100	GN pan 1/9 -100
68192	GN lock 1/9	GN lid 1/9
68210	GN kantin 1/1 -65 Svart	GN pan 1/1- 65, black
68211	GN kantin 1/1-100 Svart	GN pan 1/1- 100, black
68212	GN kantin 1/1-150 Svart	GN pan 1/1- 150, black
68220	GN kantin 1/2 -65 Svart	GN pan 1/2- 65, black
68221	GN kantin 1/2-100 Svart	GN pan 1/2 -100, black
68222	GN kantin 1/2-150 Svart	GN pan 1/2 -150, black
68230	GN kantin 1/3 -65 Svart	GN pan 1/3 -65, black
68231	GN kantin 1/3-100 Svart	GN pan 1/3 -100, black
68232	GN kantin 1/3-150 Svart	GN pan 1/3 -150, black
68239	GN kantin 1/4 -65 Svart	GN pan 1/4 -65, black
68240	GN kantin 1/4-100 Svart	GN pan 1/4 -100, black
68241	GN kantin 1/4-150 Svart	GN pan 1/4 -150, black
68260	GN kantin 1/6- 65 Svart	GN pan 1/6 -65, black
68261	GN kantin 1/6-100 Svart	GN pan 1/6 -100, black
68262	GN kantin 1/6-150 Svart	GN pan 1/6 -150, black
68291	GN kantin 1/9-100 Svart	GN pan 1/9 -100, black
68310	Gastronormkantin 1/1-65 klar	Pan polycarbonate 1/1-65

68311	Gastronormkantin 1/1-100 klar	Pan polycarbonate 1/1-100
68312	Gastronormkantin 1/1-150 klar	Pan polycarbonate 1/1-150
68313	Gastronormkantin 1/1-200 klar	Pan polycarbonate 1/1-200
68320	Gastronormkantin 1/2-65 klar	Pan polycarbonate 1/2-65
68321	Gastronormkantin 1/2-100 klar	Pan polycarbonate 1/2-100
68322	Gastronormkantin 1/2-150 klar	Pan polycarbonate 1/2-150
68323	Gastronormkantin 1/2-200 klar	Pan polycarbonate 1/2-200
68324	Gastronormlock 1/2 klar	Pan polycarbonate 1/2
68325	Gastronormgaller 1/2 klar	Pan polycarbonate 1/2
68330	Gastronormkantin 1/3-65 klar	Pan polycarbonate 1/3 - 65
68331	Gastronormkantin 1/3-100 klar	Pan polycarbonate 1/3-100
68332	Gastronormkantin 1/3-150 klar	Pan polycarbonate 1/3-150
68333	Gastronormlock 1/3 klar	Pan polycarbonate 1/3
68334	Gastronormgaller 1/3 klar	Pan polycarbonate 1/3
68335	Gastronormkantin 1/3-200 klar	Pan polycarbonate 1/3-200
68340	Gastronormkantin 1/4-100 klar	Pan polycarbonate 1/4-100
68341	Gastronormkantin 1/4-150 klar	Pan polycarbonate 1/4-150
68342	Gastronormlock 1/4 klar	Cover polycarbonate 1/4
68343	Gastronormgaller 1/4 klar	1/4 drain shelf
68344	Gastronormkantin 1/4-65 klar	Pan polycarbonate 1/4-65
68360	Gastronormkantin 1/6-65 klar	Pan polycarbonate 1/6-65
68361	Gastronormkantin 1/6-100 klar	Pan polycarbonate 1/6-100
68362	Gastronormkantin 1/6-150 klar	Pan polycarbonate 1/6-150
68363	Gastronormlock 1/6 klar	Cover polycarbonate 1/6
68364	Gastronormgaller 1/6 klar	1/6 drain shelf
68390	Gastronormkantin 1/9-65 klar	Pan polycarbonate 1/9-65
68391	Gastronormkantin 1/9-100 klar	Pan polycarbonate 1/9-100
68392	Gastronormlock 1/9 klar	Cover polycarbonate 1/9

Producer: Exxent AB
Galvaniseringsgatan 5
41707 Göteborg, Sweden
Tel: +46 31 50 67 00
info@exxent.com

Specifications: **Black and Transparent Foodsafe Polycarbonate**
Compliant to the requirements set out in Art. 3 of Commission Regulation (EU) No. 1935/2004 of 27. October 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC, the material(s) used in these products are chosen for their technical quality as well as purity suitable for contact with foodstuffs. Current amended version with 2019/1381 (20 June 2019) is included.
The products listed above are manufactured pursuant to the requirements outlined in European legislation regarding labelling and traceability.

EU Commission: In accordance with EU Commission Regulation no. 1935/2004 this product is intended for food contact. Therefore it can be marked with the "glass & fork" symbol either on the packaging or through labelling.
Products are manufactured according to EU Commission Regulation no. 2023/2006 on good manufacturing practices for materials and articles intended to come into contact with food (GMP).
Overall migration tests are made on similar products. The products meet the requirements regarding overall migration under 'worst foreseeable use' testing to 10 % ethanol (food simulant A) and 3 % acetic acid (B), and to a fatty food stimulant (isooctane, D2) for 10 days at a temperature of 40°C. According to (EU) No. 10/2011, the material with contact to food may not release more than 10mg/dm² of substances under the course of testing. The tested samples comply with this requirement.
Specific migration of BPA. In compliance with the requirement of Annex I, (1) of the (EU) No. 10/2011 the product sample was not found to release any excess of BPA when subjected to a 10-day testing, at 40°C under food simulants A, B, and D2.
Specific migration of Diphenyl Carbonate. In compliance with the requirement of Annex I, (1) of the (EU) No. 10/2011 the product sample was not found to release any excess of DPC when subjected to a 10-day testing, at 40°C under food simulants A, B, and D2.

Specific migration of metals. In compliance with the requirements of Annex II, (1) of the (EU) No. 10/2011 the product sample was not found to release any excess of substances when subjected to a 3% acetic acid testing for a period of 10 days.

Migration of Primary Aromatic Amines. In compliance with the requirements of Annex II, (2) this product was not found to release any primary aromatic amines in detectable quantities following a standard testing in 3 % of acetic acid for a period of 10 days.

Max. temp (foodsafety): 100 °C
Max. temp (warming): 100 °C
Min. temp: -40 °C. Repeated use in freezer may accelerate product wear.
Suitable for: All foodstuffs and drinks.
Max. Wash temp: Dishwasher-safe.

Date of issue: SE-Gothenburg the 24th of May, 2026.
Yours sincerely, Quality & Sustainability Department
Exxent AB.