



TPS128-500-A



GENERAL

Customer description:

Article ID:

78882

container deca tps128-500-a rcp transparent

PRODUCT SPECIFICATIONS

PP Material: raw material: RCP-2 Weight: 21,25 gr (+/- 10%) Average wall thickness: 0,5 mm (+/- 10 %)

Content: nominal: 500 ml 661,8 ml brimfull: to skirt edge: 499,6 ml

Length: Width: 128 mm Height: 55,5 mm

573,1 ml under lid*:

Colour: transparent

Surface/volume ratio: 5,1 dm²/L

USES / CERTIFICATES

Material properties: Upon request, DECA is happy to provide you with a Declaration of Conformity (DoC) for

your chosen product. This document contains all the information about the product

and the materials used.

It is the customer's responsibility to ensure that their product and process are $% \left\{ 1\right\} =\left\{ 1\right\} =\left$ Compatibility:

compatible with our packaging solution.

Storage conditions: Keep out of direct sunlight, keep dry, store in original closed packaging, at ambient

Decapac nv Toekomstlaan 28 +32 (0)14 28 65 00 www.deca.be B-2200 Herentals - Belgium customerservice@deca.be

All our products adhere to Regulation (EC) 1933/2004 and Regulation (EU) 10/2011 incl. amendments.

Dimensions and content with reservation. All rights reserved



TECHNICAL SHEET V49 / V01 12/02/2025

temperature, relative humidity between 40 and 70%.

Expiration: We recommend to use the products within 1 year after purchase. We can not be held

responsible for use after this period.

Supplier information: Arendo N.V.

Toekomstlaan 28 2200 Herentals

PACKAGING

Primary:

Blue bag for TP/TPS/Tray/... # in primary packaging: 240 pieces

Weight: 240 pieces x 21,25 gr + 55,19 gr = 5155,19 gr

Secondary:

Carton Deca TPS

primary in secondary packaging: 1 pieces Weight: 1 x 5155,19 gr + 861,19 gr = 5961,19 gr



Tertiary:


Europallet, wrapped full pallet


in tertiary packaging: 24 boxes = 5760 pieces

Weight: +/- 163,27656 kg Standard height: 0 mm



TECHNICAL DRAWING - TPS128-500-A_X2 (V01 07022025) 2D.pdf





Тор

Decapac nv Toekomstlaan 28 B-2200 Herentals - Belgium

Pag. 2

+32 (0)14 28 65 00 www.deca.be customerservice@deca.be


All our products adhere to Regulation (EC) 1935/2004 and Regulation (EU) 10/2011 incl. amendments.

Dimensions and content with reservation. All rights reserved









IMENSIONS	TOLERANCE (S
mm - 1 mm mm - 10 mm 0 mm - 20 mm 0 mm - 30 mm 0 mm - 50 mm 0 mm - 100 mm 100 mm - 200 mm 100 mm - 400 mm	0,10 mm 0,2 mm 0,3 mm 0,4 mm 0,5 mm 0,6 mm 0,8 mm 1,0 mm
30 mm - 500 mm all thickness	1,5 mm 10%
eight	10%

DISCLAIMER:
The information on this technical data sheet is valid only under the following conditions: The product is used in normal intended conditions and purposes (use). No changes and/or substances (intentional, non-intentional and/or by use) are applied and/or added to the product that could affect the nature and composition (a degeneration and/or a denaturation) of the product. The product may only be used for the foods, contact times and contact temperatures specified in the Declaration of Conformity.

LIMITING FACTORS:

Our products are suitable for single use only. If reused, mechanical and/or other properties may change and suitability for food is not guaranteed and is not covered by this document. It is the user's responsibility to check and test the suitability of the product for its intended use, the shelf life of the food, and the compatibility between the food and the product. It is the user's responsibility to test that the product does not alter the organoleptic properties and/or composition of the food.

Decapac nv Toekomstlaan 28 B-2200 Herentals - Belgium

+32 (0)14 28 65 00 www.deca.be customerservice@deca.be